

April 28, 2015

Chip Lee  
DELTECH CONTROLS LLC  
6068 HWY 73  
GEISMAR, LA USA 70734

**RE: REGISTRATION OF DELVAL FLOW CONTROLS PVT LTD IN OTHER JURISDICTIONS  
ALBERTA CRN 0C15164.2  
ABSA TRACKING #2014-08287**

Enclosed are the stamped, accepted copies of registrations for the following provinces that we submitted for registration on your behalf.

Drawing DELVAL SERIES 44/45 HPBF VALVES: SEE SCO

<u>Province</u>	<u>CRN</u>	<u>Fee</u>
ACIC:		
- New Brunswick	0C15164.27	
- Newfoundland	0C15164.20	
- Nova Scotia	0C15164.28	
- Northwest Territories	0C15164.2T	
- Nunavut	0C15164.2N	
- PEI	0C15164.29	
- Yukon	0C15164.2Y	
British Columbia	EXEMPT	
CSA:		
- Quebec	0C15164.26	
Manitoba	0C15164.24	
Ontario	0C15164.25	
Saskatchewan	EXEMPT	

An invoice in the amount of \$3,784.87 will be issued from our revenue accounts. Alberta administration fees and courier fees are included in this total. The amount shown is in Canadian dollars. You will be invoiced in US funds.

Sincerely,




Cynthia Formaniuk  
Administrative Co-ordinator  
Design Survey & Engineering



0C15164.25

14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)



March 02, 2015

CYNTHIA FORMANIUK  
ALBERTA BOILERS SAFETY ASSOCIATION  
9410-20 AVENUE  
EDMONTON AB T6N 0A4  
CA

**Service Request Type:** BPV-Fitting Registration  
**Service Request No.:** 1566478  
**Your Reference No.:** 2014-08287  
**Registered to:** DELVAL FLOW CONTROL PVT LTD

Dear CYNTHIA FORMANIUK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C15164.25  
Main Design No.: BUTTERFLY VALVES - DELVAL SERIES 44/45 HPBF  
Expiry Date: 07-Jan-2025

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Charley Dong, P.Eng.

Tel.: 416-734-3436  
Fax: 416-231-6183  
Email: [cdong@tssa.org](mailto:cdong@tssa.org)



**Inspection and Technical Services Manitoba**

500 - 401 York Avenue

Winnipeg Manitoba R3C 0P8

T (204) 945-3373

F (204) 948-2309

[www.firecomm.gov.mb.ca/codes\\_steam\\_pressure.html](http://www.firecomm.gov.mb.ca/codes_steam_pressure.html)

March 23, 2015

ABSA  
9410-20 Ave. NW  
Edmonton, AB  
T6N 0A4

Attn: Cynthia Formaniuk

**REGISTRATION OF VALVES AND FITTINGS**

**Manufacturer:** DELVAL FLOW CONTROLS PVT LTD

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
DelVal Series 44/45 HPBF Valves	0C15164.24	34960

**An invoice covering survey and registration fees is enclosed.**

***NOTE:** CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: ABSA. See attached stamped "this is part of CRN" for scope of registration. This registration expires January 7, 2025.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

**Rabie Harb, E.I.T.**

*Design Surveyor*

Office of the Fire Commissioner

Inspection and Technical Services Manitoba

500 - 401 York Avenue

Winnipeg, Manitoba, R3C 0P8

Phone: 204-945-3373

Email: [rabie.harb@gov.mb.ca](mailto:rabie.harb@gov.mb.ca)



To:	ABSA	From:	Janet Townsend
Company:	DelVal Flow Controls Pvt Ltd	Phone:	416-747-4291
Pages:	5	Location:	Toronto
Our File:	ANR-3435	Date:	February 24, 2015

Your File: 2014-08287

**Subject: Request Design Registration**

Ms. Formaniuk,

CSA has received the documentation submitted by ABSA on behalf of DelVal Flow Controls Pvt Ltd. These fittings have been registered by CSA for the Province of Québec in accordance with an agreement between CSA and the Province of Québec.

The CRN is 0C15164.26 .

The cost for this service is \$ 760.00 plus HST.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly


A handwritten signature in cursive script that reads 'Janet Townsend'.

**Janet Townsend**  
Account Manager  
CSA Group  
[janet.townsend@csagroup.org](mailto:janet.townsend@csagroup.org)  
[www.csagroup.org](http://www.csagroup.org)

0C15164.29

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 26, Kavathe, Post Javale, Khandala, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p>DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)</p> 	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p> <p>cast</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>DelVal Sor 7 TM Ball Valves          DelVal Series 44/46 HPBF Valves          DelVal Series F Ball Valves          AD-41</p>	

**DECLARATION:**

I Mr. Mahesh Sahasrabudde (see note 3) employed by DelVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudde as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at KALYAN SINGH N. PARDESHI

day of ADYU

Notary Public: (sign) A/P. Dehuga n, Dist. Pune-412105  
Mob No. 9822449074

KALYAN SINGH N. PARDESHI  
M.Com, LL.B

ADYU NOTARY

A/P. Dehuga n, Dist. Pune-412105

Mob No. 9822449074

USE THIS SPACE FOR OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date

CRN: 0C15164.2

FID#: 15094

**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**ACCEPTED**  
PROVINCE OF PRINCE EDWARD ISLAND  
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. 0C15164.29

DATE: FEB 5/15

**INSPECTION SERVICES SECTION**  
**BOILER/PRESSURE VESSEL BRANCH**

Secl. 1.0 - Fittings Rev. T 06/2003



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 26, Kavathe, Poal Javale, Khandala, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION API8D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: cast
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DelVal Ser 7 TM Ball Valves DelVal' Series 44/46 HPBFValves 'DelVal' Series F Ball Valves AB-41	

**DECLARATION:**

I Mr. Mahesh Sahasrabudde (see note 3) employed by DelVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudde as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: KALYANBINOH H. PARDESHI  
Declarer before me at ADULAI day of ADULAI NOTARY  
Commissioner of Oaths A/P, Dehugaon, Dist. Pune-412109  
or Notary Public: (sign) Mob No. 9822449074

USE THIS SPACE FOR THE OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use . . . . .


This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15164.2

FID#: 15094

**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: DeVal Flow Controls Pvt Ltd (Divn of DeITech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 25, Kavathe, Post Javale, Khandala, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>DeVal Flow Controls Pvt Ltd (Divn of DeITech Controls LLC)</p> <div align="center">  <p><b>DeITech</b></p> </div>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:           cast</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>DeVal Ser 7 TM Ball Valves          DeVal' Series 44/45 HPBFValves          'DeVal' Series F Ball Valves          AB-41</p>	

**DECLARATION:**

I Mr. Mahesh Sahasrabudhe (see note 3) employed by DeVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudhe as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Signature of Declarer: KALYANSINGH M. PARDESHI  
 Declared before me at M.Com, LL.B  
 day of ADVUKALLAD NOTARY  
 Commissioner of Oaths A/P. Dehugaon, Dist. Pune-412105  
 of Notary Public: (sign) Mob No. 9822419074

USE THIS SPACE FOR  
 New Brunswick  
**Brunswick**  
 DEPT. OF PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT

12 SEP 2015

This space for Regulatory Authority use . . . . .

This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0C15164.2

FID#: 15094

CRN 0C15164.27  
[Signature]

EXAMINER: \_\_\_\_\_  
 for  
**CHIEF BOILER INSPECTOR**  
 DATE: Feb. 6 / 2015

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


BLRs  PVs  
 FITTINGS  COMPONENTS

Sect. 1.0 - Fittings Rev. 1 06/2003



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK      NOVA SCOTIA      PRINCE EDWARD ISLAND      NEWFOUNDLAND AND LABRADOR  
 NUNAVUT      YUKON      NORTHWEST TERRITORIES

MANUFACTURERS NAME: DeVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 25, Kavathe, Post Javale, Khandala, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<b>CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
DeVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	 <b>DelTech</b>
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
cast	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
DeVal Ser 7 TM Ball Valves DeVal Series 44/45 HPBFValves DeVal Series F Ball Valves AB-41	

**DECLARATION:**

I, Mr. Mahesh Sahasrabudhe (see note 3) employed by DeVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudhe as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Signature of Declarer: [Signature]  
 Declared before me at KALYANSINGH M. PARDESHI  
M.Com, LL.B  
NOTARY  
 day of 12 day of SEP  
 Commissioner of Oaths A/P. Dehugaon, Dist. Pune-412105  
 of Notary Public (sign) Mob No. 9822449074

USE THIS SPACE FOR OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use. . . . .

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15164.2

FID#: 15094

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
 Labrador  
 Service NL

Registered OC15164.20  
 Date 15/02/06  
 Engineering and Inspection Services  
 Registered by [Signature]

UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 25, Kavathe, Post Javale, Khandala, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:  cast
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DelVal Ser 7 TM Ball Valves DelVal Series 44/45 HPBF Valves DelVal Series F Ball Valves AB-41	

**DECLARATION:**

I, Mr. Mahesh Sahasrabudde (see note 3) employed by DelVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudde as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Signature of Declarer: KALYANSINGH M. PARDESHI  
 Declared before me at M.Com, LL.B  
 day of ADVULALIA NOTARY  
 Commission of Oaths A/P, Dehugaon, Dist. Pune-412105  
 or Notary Public: (sign) Mob No. 9822449074

USE THIS SPACE FOR OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15164.2  
 FID#: 15094


**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK      NOVA SCOTIA      PRINCE EDWARD ISLAND      NEWFOUNDLAND AND LABRADOR  
 NUNAVUT      YUKON      NORTHWEST TERRITORIES

MANUFACTURERS NAME: <u>DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)</u>	
MANUFACTURERS ADDRESS: <u>Get No 26, Kavathe, Post Javala, Khandala, Satara District, PIN 412801, Maharashtra state, India</u>	
PLANT LOCATIONS: <u>Maharashtra state, India</u>	
<p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ya, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p>DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)</p> 	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:                   cast</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>DelVal Ser 7 TM Ball Valves                  DelVal Series 44/45 HPBF Valves                  DelVal Series F Ball Valves                  AB-41</p>	

**DECLARATION:**

I, Mr. Mahesh Sahasrabudhe (see note 3) employed by DelVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of those fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudhe as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Signature of Declarator: [Signature]  
 Declared before me at KALYANSINGH M. PARDESHI  
Advocate, Notary  
A.P. Dehugaon, Dist. Pune-412105  
Mob No. 9822449074


USE THIS SPACE FOR THE OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use. . . . .  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15164.2  
 FID#: 15094

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



159.00


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	
MANUFACTURERS ADDRESS: Gat No 25, Kavathe, Post Javale, Khandaia, Satara District, PIN 412801, Maharashtra state, India	
PLANT LOCATIONS: Maharashtra state, India	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  API6D / ASME B16.34 / API 609 / ASME B16.5/ASME B16.10
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
DelVal Flow Controls Pvt Ltd (Divn of DelTech Controls LLC)	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:  cast
	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
DelVal Ser 7 TM Ball Valves DelVal Series 44/45 HPBFValves 'DelVal' Series F Ball Valves AB-41	

**DECLARATION:**

I Mr. Mahesh Sahasrabudhe (see note 3) employed by DelVal Flow Controls Pvt Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Mr. Mahesh Sahasrabudhe as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.



Nature of Declarer: KALYANSINGH M. PARDESHI  
 Declared before me at M.Com, LL.B  
 day of ADVUCAL AND NOTARY  
 Commissioner of Oaths A/P. Dehugaon, Dist. Pune-412105  
 Notary Public: (sign) Mob No. 9822449074

USE THIS SPACE FOR OFFICIAL SEAL

12 SEP 2014

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15164.2  
 FID#: 15094

**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



**NUNAVUT**  
 Boilers and  
 Pressure Vessels Act

**REGISTERED**

CRN OC15164.2N  
 Date FEB 6 2015  
 Signed [Signature] Sect. 1.0 - Fittings Rev. 1 06/2003  
 Chief Inspector

Territorial Registration Fee